



Applied Physics Laboratory

University of Washington

1013 NE 40th Street
Box 355640
Seattle, WA 98105-6698

206-543-1300
FAX 206-543-6785
www.apl.washington.edu

29 Mar 2018

To: Dr. Robert H. Headrick
Office of Naval Research (Code 322)
875 North Randolph Street
Arlington, VA 22203-1995

From: Dajun Tang, Principal Investigator

Subj: ONR Grant# N00014-14-1-0239 & N00014-16-1-2371, "TREX 13 Data analysis/Modeling"

Encl: (1) Final Performance/Technical Report with SF298

The attached enclosures constitute the final technical report for ONR Grant# N00014-14-1-0239 & N00014-16-1-2371, "TREX 13 Data analysis/Modeling"

cc: Grant & Contract Administrator, APL-UW
Office of Sponsor Programs, UW
ONR Seattle – Robert Rice and Benjamin Blake
Naval Research Laboratory
Defense Technical Information Center

TREX13 data analysis/modeling

Dajun (DJ) Tang

Applied Physics Laboratory, University of Washington

1013 NE 40th Street, Seattle, WA 98105

phone: (206) 543-1290 fax: (206) 543-6785 email: djtang@apl.washington.edu

Award Number: N00014-14-1-0239 & N00014-16-1-2371

LONG-TERM GOALS:

The long-term objective is to improve prediction of target-to-reverberation ratio for mid-frequency sonar systems. In the band of 1-10 kHz, sound transmission loss and reverberation level show strong variability over space and time, often fluctuate as much as 20 dB, hampering sonar performance. The fluctuation is caused by environmental variabilities. However, it is often nebulous how specific environmental processes quantitatively impact sound behavior. To gain quantitative knowledge, TREX13 was designed to contemporaneously measure acoustics quantities and environmental parameters over an extended period of time, so model/data comparisons can be achieved on both propagation together with reverberation without ambiguity.

OBJECTIVES:

Sea surface, water column sound speed, and bottom impact on transmission loss and reverberation.

TREX13 (Target and REverberation eXperiment) was conducted during April-June, 2013 off the coast of Panama City, Florida where the water depth is approximately 20 m. The frequency range covered is 1-10 kHz, emphasizing 3-4 kHz. The Navy relevance is reflected in the fact that detection using mid-frequency sonar is in most cases reverberation limited. This project addresses a clear need in basic research for a 6.1 level measurement program, using well-controlled geometries and high resolution environmental measurements, designed (1) to test models predicting reverberation and (2) to quantify the most important environmental measurements to make in order to maintain accuracy in those predictions. With extensive TREX13 data in hand, the objective now shifts to realizing the long-term goals using data analysis and modeling.

APPROACH

- Fixed-fixed (source and receiver), simultaneous measurements of TL Reverberation, and Local backscatter over time and changing environment
- Contemporaneous environmental data to allow tight model/data comparison

WORK COMPLETED

- Experiment was successfully conducted which involved multiple institutions.
- Two TREX13 workshop were held, reporting results.

- A special collection of the Journal of Oceanic Engineering was dedicated to the results from TREX13 where over 20 papers were included.

RESULTS

1. A special collection of papers dedicated to TREX13 is published on IEEE Journal of Oceanic Engineering
2. The TREX13 data covers a period of more than a month, and were categorized so the effect of the seafloor, the sea surface, and the water column could be separately analyzed quantitatively allowing the following conclusions:
 - Seafloor variability causes clutter-like fluctuations, and uncertainty of bottom attenuation has a strong impact on modeling reverberation.
 - Water column variability has appreciable impact on TL and reverberation. This in spite of the fact that tides and currents lead to overall change of sound speed profile over the entire experiment of less than 5m/s.
 - Sea surface roughness has major impact on reverberation, and the quantitative impact depends on the details of the rough surface spectra.

IMPACT/APPLICATIONS

Naval active sonar detection is often reverberation limited. Understanding the main mechanisms that cause the diffuse reverberation will lead to better sonar performance. Theoretical and numerical progress inspired by the field work is being applied to STTR projects for NAVOCEANO and NAVAIR.

RELATED PROJECTS

1. STTR Topic N13A-T026: Improving the Physics of Applied Reverberation Models (APL-UW)
2. STTR Topic N17A-T026: Improved High-Frequency Bottom Loss Model (APL-UW)

PUBLICATIONS

1. Yang, J., D. Tang, B. T. Hefner, K. L. Williams, and J. R. Preston, "Overview of mid-frequency reverberation data acquired during the Target and Reverberation Experiment 2013," IEEE J. Oceanic Engineering (in press).
2. Tang, D., D. R. Jackson, "A time-domain model for seafloor scattering," *J. Acoust. Soc. Am.* **142**, 2968-2978 (2017).
3. Tang, D., B. T. Hefner, and D. R. Jackson, "Direct-Path Backscatter Measurements Along the Main Reverberation Track of TREX13", IEEE J. Oceanic Eng., TREX13 Special Issue, (under review).

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE (DD-MM-YYYY) 29-03-2018		2. REPORT TYPE Final Technical		3. DATES COVERED (From - To) 04/01/2014 - 12/31/2017	
4. TITLE AND SUBTITLE TREX13 Data Analysis/Modeling				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER N00014-14-1-0239/N00014-16-1-2371	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Dajun Tang				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Washington - Applied Physics Laboratory 4333 Brooklyn Avenue NE Seattle, WA 98105-6613				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research (ONR 322) 875 North Randolph Street Arlington, VA 22203-1995				10. SPONSOR/MONITOR'S ACRONYM(S) ONR	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION / AVAILABILITY STATEMENT: Distribution Statement A: Approved for public release; distribution is unlimited.					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT The Target and Reverberation EXperiment 2013 (TREX13) included a comprehensive reverberation field project in the frequency band of 2-10 kHz, and was carried out off the coast of Panama City, Florida, from 21 April to 16 May, 2013. A spatially fixed transmit and receive acoustic system was used to measure reverberation over time under diverse environmental conditions, allowing study of reverberation level dependence on bottom composition, sea surface conditions, and water column properties. Extensive in situ measurements, including a multibeam bathymetric survey, chirp sonar sub-bottom profiling, gravity/diver cores, sediment sound speed and attenuation, interface roughness, wind-generated sea surface waves, and water column properties, were made to support studies of environmental effects on reverberation. Data analysis from TREX13 resulted in a set of publications which documents progress made under this project.					
15. SUBJECT TERMS Mid-frequency, reverberation, shallow water					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES 2	19a. NAME OF RESPONSIBLE PERSON Dajun Tang
a. REPORT Unclassified	b. ABSTRACT Unclassified	c. THIS PAGE Unclassified			19b. TELEPHONE NUMBER (include area code) (206) 543-1300